

English 2 - 7

۸ – ۱۲

instructions



TYPE ZJX650




TYPE ZJX740 TYPE ZJX750





HEAD OFFICE: Kenwood Limited, 1-3 Kenwood Business Park, New Lane, Havant, Hampshire PO9 2NH | Kenwoodworld.com |



English







safety

- Read these instructions carefully and retain for future reference.
- Remove all packaging and any labels.
- If the cord is damaged it must, for safety reasons, be replaced by KENWOOD or an authorised KENWOOD repairer.
- Never use a damaged appliance. Get it checked or repaired: see 'service and customer care'.
- Always use the filter and never overfill boiling water may splash out.
- Avoid contact with steam coming out of the spout area when pouring and out of the lid or spout area when refilling.
- Beware: the body of the kettle will get hot during operation.
- Never let the cord hang down where a child could grab it.
- Always unplug your kettle when not in use.
- Never put the kettle, powerbase, cord or plug in liquid.
- **Caution:** Do not operate the kettle on an inclined surface.
- Only use the powerbase supplied and keep it clean and dry.
- Make sure the lid is secure before switching the kettle on.
- **Warning:** Do not open the lid while the water is boiling.
- Take care when opening the lid droplets of hot water may be ejected.

- Make sure the kettle is switched off before lifting or pouring.
- Remove the kettle from the base before filling or pouring.
- Never put the kettle near or on cooker hot plates or gas burners.
- This kettle is for boiling water only.
- Misuse of your appliance can result in injury.
- Children from 8 years and above can use, clean and perform user maintenance on this appliance in accordance with the User Instructions provided they are supervised by a person responsible for their safety and have been given instruction concerning the use of the appliance and are aware of the hazards.
- Persons with reduced physical, sensory or mental capabilities or lack of knowledge using this appliance must have been given supervision or instruction on its safe use and are aware of the hazards.
- Children must not play with the appliance and both appliance and cord must be out of reach of children less than 8 years.
- Only use the appliance for its intended domestic use. Kenwood will not accept any liability if the appliance is subject to improper use, or failure to comply with these instructions.

before plugging in

 Make sure your electricity supply is the same as the one shown on the underside of your kettle.

Important - UK only

 The wires in the cord are coloured as follows:

Green and Yellow = Earth Blue = Neutral

Brown = Live.

 The appliance must be protected by a 13A approved (BS1362) fuse.

• WARNING: THIS APPLIANCE MUST BE EARTHED.

Note:

 For non-rewireable plugs the fuse cover MUST be refitted when replacing the fuse. If the fuse cover is lost then the plug must not be used until a replacement can be obtained. The correct fuse

- cover is identified by colour and a replacement may be obtained from your Kenwood Authorised Repairer (see Service).
- If a non-rewireable plug is cut off it must be DESTROYED IMMEDIATELY. An electric shock hazard may arise if an unwanted non-rewireable plug is inadvertently inserted into a 13A socket outlet.
- This appliance conforms to EC Regulation 1935/2004 on materials and articles intended to come into contact with food.

before using for the first time

- 1 Wrap any excess cord around the bracket (3) on the underside of the powerbase.
- 2 Fill to 'MAX', boil, then pour the water away. Repeat 2 to 3 times.

key

- spout
- finger pad
- 3 flip top lid
- (4) lid release button
- on/off switch
- (6) water level gauge
- (7) 360° powerbase
- (8) cord wrap
- (9) filter

to use your kettle

- 1 Press the lid release button (4) to open the lid, then fill the kettle. The water level must be between 'MAX' and 1 cup (250mls).
- If you live in a hard water area we recommend that you use filtered water in order to maintain the appearance and efficiency of your kettle.
- Be economical: do not boil more water than you need.
- To improve the quality of your drinks always use fresh water.
- Empty the kettle after each use.
- 2 Close the lid by pushing down on the finger pad area 1.
- 3 Plug in and switch on.

- 4 Your kettle will boil and switch off automatically. To re-boil, wait a few seconds - the on/off switch needs time to reset.
 - Note To interrupt the boiling ensure that the switch is in the off position before removing from the powerbase.
- If you experience problems with your kettle switching on and off during use or switching off before boiling, check that the flat element is free from scale - see "descaling".
 - Your kettle is fitted with a filter to hold back limescale particles.
 - If you find drops of water under your kettle, do not worry - it is just condensation.

boil-dry protection

 If you switch on with too little water, your kettle will cut out automatically.
 Switch off, remove from the powerbase and let it cool down before re-filling. When it has cooled down, the switch will reset itself.

care and cleaning

 Before cleaning, unplug your kettle and let it cool down.

the outside and powerbase

 Wipe with a damp cloth, then dry. Do not use abrasives - they will scratch the metal and plastic surfaces.

the inside

- Wipe with bicarbonate of soda on a damp cloth. Rinse thoroughly.
- Even though your kettle comes with a filter, you still need to clean the inside (and the filter) regularly.

the filter

- 1 Open the lid.
- 2 Lift the filter out away from the spout area 2.
- 3 either rinse under the tap or use a soft brush or when descaling your kettle, drop the filter in too. Rinse thoroughly.
- 4 Place the filter back in the spout area and push down to secure 3.

descaling

- Regular descaling of the flat element will improve the performance of your kettle. If the kettle is not descaled regularly the build up of limescale may result in the following:
 - problems may be experienced with the kettle switching on and off during use or switching off before boiling.
 - the kettle may take longer to boil.
 - the flat element may be damaged.

Please note: Failure to descale your kettle may invalidate your guarantee.

- When limescale starts to build up on the heating element, buy a suitable descaler and descale your kettle. After descaling, boil with fresh water several times and discard. Clean any descaler off the kettle - it can damage the parts.
- Some regions of the country have chalky water. This makes boiled water look cloudy and leaves a deposit on the side of the kettle. This is normal but can be removed with regular cleaning.
- Alternatively, to reduce limescale build up, use filtered water to fill your kettle.

service and customer care

If you experience any problems with the operation of the kettle, before calling for assistance refer to the troubleshooting guide or visit www.kenwoodworld.com.

UK

If you need help with:

- using your kettle
- servicing or repairs (in or out of quarantee)
- 2 call Kenwood Customer Care on 023 9239 2333. Have your model number ready (e.g. TYPE ZJX650, ZJX740 or ZJX750) and date code (5 digit code e.g. 13L35) ready.

They are located on the underside of your kettle and powerbase.

spares and attachments

call 0844 557 3653.

other countries

- If you experience any problems with the operation of your appliance, before requesting assistance refer to the "troubleshooting guide" section in the manual or visit
 www.kenwoodworld.com.
- Please note that your product is covered by a warranty, which complies with all legal provisions concerning any existing warranty and consumer rights in the country where the product was purchased.
- If your Kenwood product malfunctions or you find any defects, please send it or bring it to an authorised KENWOOD Service Centre. To find up to date details of your nearest authorised KENWOOD Service centre visit www.kenwoodworld.com or the website specific to your Country.
- Designed and engineered by Kenwood in the UK.
- Made in China.

guarantee (UK only)

If your kettle goes wrong within one year from the date you bought it, we will repair or replace it free of charge provided:

- you have not misused, neglected or damaged it;
- it has not been modified (unless by Kenwood);
- it is not second-hand;
- it has not been used commercially:
- you have not fitted a plug incorrectly; and
- you supply your receipt to show when you bought it.

This guarantee does not affect your statutory rights.



IMPORTANT INFORMATION FOR CORRECT DISPOSAL OF THE PRODUCT IN ACCORDANCE WITH THE EUROPEAN DIRECTIVE ON WASTE ELECTRICAL AND ELECTRONIC EQUIPMENT (WEEE)

At the end of its working life, the product must not be disposed of as urban waste.

It must be taken to a special local authority differentiated waste collection centre or to a dealer providing this service.

Disposing of a household appliance separately avoids possible negative consequences for the environment and health deriving from inappropriate disposal and enables the constituent materials to be recovered to obtain significant savings in energy and resources. As a reminder of the need to dispose of household appliances separately, the product is marked with a crossed-out wheeled dustbin.

children and burns or scalds

advice from the British Burn Association

Every year, 30,000 children go to hospital with burns. What might be a minor burn for an adult could horrifically injure - or even kill - a child.

take these precautions

- Keep hot drinks out of children's reach.
- Do not drink while holding your baby. If you're passing someone a drink, make sure a child isn't underneath.
- Keep your kettle, and its cord, well back from the worktop edge so that children can't grab them.
- Keep children away from the kitchen work area.
- For baby's bath, run the cold water first, then add the hot. Mix well and test the temperature with your elbow before you put baby in.
- Teach children about hot things.

run cold water over a burn immediately, then get medical help. Do not stop to remove clothing.

troubleshooting guide

Problem	Cause	Solution	
Kettle not operating.	No Power. Kettle unplugged.	Check kettle is plugged in. Check kettle is correctly located to the powerbase.	
Kettle not switching off automatically after boiling/Long switch	Kettle overfilled.	Check water level is not above the Max level.	
off time.	Lid not closed.	Check lid is closed correctly.	
Water splashing out of spout area.	Filter not fitted in spout area.	Always use the filter and do not overfill above the Max level.	
Kettle switching on and off during use or switching off before water boiled.	Limescale/mineral build up on element affecting operation.	Check that the element is free from scale. Refer to "descaling" section under care and cleaning.	
Kettle stopped working during operation.	Boil dry protection operated due to insufficient water in the kettle.	Switch off and remove from the powerbase. Allow to cool down before refilling. When the kettle has cooled down the switch will reset itself. Check the water level is above the minimum level.	
If none of the above solve the problem see "Service & Customer Care".			

دليل استكشاف الأخطاء وإصلاحها

الحل	السبب المحتمل	المشكلة		
, ــــــــــــــــــــــــــــــــــــ	ر ببب <u>رحم</u> لا توجد طاقة.	ركيب. الغلاية لا تعمل.		
التيار الكهربي.		ريفريه لا فعش.		
الميار المهربي. تأكدي من وضع الغلاية على قاعدة	الغلاية مفصولة عن مصدر			
الطاقة بطريقة صحيحة.	التيار الكهربي.			
تأكدي من أن مستوى الماء لا يتجاوز	الغلاية معبأة فوق سعتها	الغلاية لا تتوقف تلقائياً بعد		
علامة الحد الأقصى.		غليان الماء.		
		- ·		
		إيقاف التشغيل بعد فترة طويلة.		
تأكدي من قفل الغطاء العلوي بشكل	الغطاء العلوي غير مغلق.			
صحيح.	_			
تأكدي من استخدام المرشح دائما	لم يتم تركيب المرشح في	تتناثر المياه خارج فتحة		
ولا تتجاوزي السعة القصوى لتعبئة	فتحة الصب.	الصب.		
الغلاية بالماء.				
تأكدي من خلو سطح التسخين من	هناك ترسيبات جيرية على	غلاية المياة تعمل وتتوقف عن		
الترسيبات الجيرية.	سطح التسخين تؤثر على	العمل أثناء التشعيل، أو		
راجعي فقرة زإزالة الترسيبات	الأداء.	تتوقف عن العمل قبل غليان		
الجيريةس ضمن قسم العناية		المياه.		
والتنظيف.				
أوقفي تشغيل الغلاية وأزيليها عن		توقفت الغلاية عن العمل أثناء		
قاعدة الطاقة.	التشغيل بدون ماء نتيجة عدم	التشغيل.		
اتركيها لتبرد قبل إعادة تعبئتها مرة	وجود كمية كافية من الماء في			
أخرى بالماء.	الغلاية.			
عندما تبرد الغلابة، سيعيد المفتاح				
تعيين نفسه ذاتياً.				
تأكدي من تعبئة الغلاية بالماء فوق				
علامة الحد الأدنى لمستوى الماء.				
إن لم تتم حل المشكلة التي تواجهينها من خلال الخطوات السابقة، ففي هذه الحالة راجعي قسم				
زالصيانة ورعاية العملاءس.				



ولكن يمكن إزالته بالتنظيف المنتظم. أو يمكن لتقليل تراكم الجير؛ استخدام الماء

 بعض المناطق في الدولة ماؤها جيري. الأمر الذي يجعل الماء المغلى يبدو معكرًا ويترك آثارًا على جانب الغلاية. وهذا الأمر عادى؛

المرشح لتعبئة الغلابة.

في حالة مواجهة أية مشكلة متعلقة بتشغيل الجهاز، قبل الاتصال لطلب المساعدة، يرجى مراجعة قسم «دليل اكتشاف المشكلات

الصيانة والعناية بالعملاء

وحلها» في الدليل أو زيارة موقع الويب .www.kenwoodwörld.com يرجى الملاحظة بأن جهازك مشمول بضمان،

هذا الضمان يتوافق مع كافة الأحكام القانونية المعمول بها والمتعلقة بحقوق الضمان والمستهلك في البلد التي تم شراء المنتج منها.

- في حالة تعطل منتج Kenwood عن العمل أو في حالة وجود أي عيوب، فيرجى إرساله أو إحضاره إلى مركز خدمة معتمد من KENWOOD. للحصول على معلومات محدثة حول أقرب مركز خدمة معتمد من KENWOOD، يرجى زيارة موقع الويب www.kenwoodworld.com، أو موقع الويب المخصص لبلدك.
 - تصميم وتطوير Kenwood في المملكة المتحدة.
 - صنع في الصين.

معلومات هامة هو الكيفية الصحيحة للتخلص من المنتج وفـقاً لتوجيهات الاتحاد الأوروبي المتعلقة بنفايات المعدات الكهربائية والإلكترونية (WEEE)

فى نهاية العمر التشغيلي للجهاز، يجب عدم التّخلص من الجهاز في تفايات المناطق

بل يجب أخذه إلى مركز تجميع خاص بجهة محلية متخصصة في التخلص من هذه النفايات أو إلى تاجر يقدم هذّه الخدمة.

التخلص من الأجهزة المنزلية على نحو منفصل، يجنب الآثار السلبية المحتملة على البيئة والصحة والتي تنتج عن التخلص من هذه النفايات بطريقة عير مناسبة، كما أن هذه العملية تسمح باسترداد المواد المكونة الأمر الذي يتيح الحصول على وفورات كبيرة فى مجال الطاقة والموارد. للتذكير بضرورة التَّخلص من الأجهزة المنزلية على نحو منفصل، يوجد على الجهاز صورة مشطوبة لسلة قمامة ذات عجلات.

الدلىل

- بزیوز
- ② منطقة الأصابع③ غطاء يفتح لأعلى
- () زر تحرير الغطاء العلوى
- ⑤ مفتاح On/Off (تشغیل/إیقاف)
 - مقیاس مستوی الماء
 ۱۳۳ قراری
 - 🧷 قاعدة طاقة ٣٦٠ درجة
 - (8) لف السلك(9) المرشح

لاستخدام الجهاز

- اضغطي على زر تحرير الغطاء العلوي (4)
 لفتح الغطاء العلوي، ثم قومي بتعبئة
 الغلاية. يجب أن يكون مستوى الماء بين
 العلامتين "MAX" (الحد الاقصى) و أفنجان (٢٥٠ مل).
- إذا كنت تقيمين في منطقة بها ماء عسر،
 فننصحك باستخدام مياه مرشحة للحفاظ
 على مظهر وكفاءة غلاية المياه.
 - اقتصد: لا تغل ماء أكثر مما تحتاج.
 - استخدم ماء نقيًا لتحسين جودة المشروبات.
 - أفرغ الغلاية بعد كل استخدام.
- ٢ أغلقي الغطاء العلوي بالضغط على منطقة الأصابع ① .
 - ٣ صل الكّهرباء ثم شغل الجهاز.
- لا المالية وتتوقف تلقائيًا لإعادة الغلي؛ انتظر بضع ثوان؛ يجب إعادة ضبط مفتاح التشغيل الإيقاف.
- ملاحظة لإيقاف عملية الغليان، تأكدي من توجيه المفتاح إلى موضع إيقاف التشغيل قبل الإزالة عن قاعدة المنافقة
- إذا واجهتك مصاعب في تشغيل وإيقاف الغلاية أثناء الاستخدام أو في إيقاف التشغيل قبل الغلي؛ فتأكد أن العنصر المسطح خال من الجير – راجع زإزالة الجيرس.
- الغلاية بها مرشح لاحتجاز المواد الجيرية.
- إذا عثرت على نقاط من الماء تحت الغلاية؛
 فلا تقلق فهذا تكثف وحسب.

الحماية من الغلى على الجاف

 عند تشغيل الجهاز وبه قليل من الماء؛ فإن ذلك يؤدي إلى توقفه عن العمل تلقائيًا. أوقف عمل الجهاز؛ ثم فكه من القاعدة واتركه يبرد قبل إعادة الملء. بعد أن يبرد؛ يعيد المفتاح ضبط نفسه.

العناية والتنظيف

- قبل التنظيف؛ افصل الجهاز واتركه يبرد.
 الجزء الخارجي والقاعدة
- مسح بقطعة قماش رطبة ثم التجفيف. لا
 تستخدمي مواد كاشطة سوف تؤدي إلى
 خدش السطح المعدني والبلاستيك.

الجزء الداخلي

- مسح ببيكربونات الصودا على قطعة من القماش رطبة. اشطفي جيداً.
- حتى وإن كانت الغلاية تحتوي على
 مرشح؛ إلا أنه يجب تنظيف الجزء الداخلي
 (والمرشح) بانتظام.
 - المرشح
 - ١ افتح الغطاء.
 - ٢ ارفعي المرشح للخارج بعيداً عن منطقة الصب ٠٠٠
 - ٣ إما بالشطف تحت الصنبور أو استخدام فرشاة لينة.
 - أو عند إزالة الجير من الغلاية؛ أدخل المرشح فيها أيضاً. اشطف جيدًا.
- 3 ضعي المرشح مرة أخرى في منطقة الصب واضغطي عليه لأسفل ليستقر في موضع التعشيق ⑥.

إزالة الجير

- تعمل الإزالة الدورية للجير من العنصر المسطح على تحسين أداء الغلاية. إذا لم يتم إزالة الجير من الغلاية بانتظام؛ فإن تراكم الجير قد يؤدي إلى ما يلي:
- مواجهة مشاكل في تشغيل وإنهاء تشغيل الغلاية أثناء الاستخدام أو إنهاء تشغيلها قبل الغلى.
- قد تستغرق الغلاية وقتًا أطول لكى تغلى.
 - قد يتلف العنصر المسطح.

يرجى الانتباه: الإخفاق في إزالة الجير من الغلاية قد يبطل الضمان.

 عندما يبدأ الجير في التراكم على عنصر التسخين؛ اشتري مزيل جير مناسبًا وتخلص من الجير الموجود في الغلاية. بعد إزالة الجير؛ اغسل ماء نظيفًا عدة مرات وتخلص منه. نظف كل بقايا مزيل الجير لأنه قد يتلف المكونات. أزيلي الغلاية عن قاعدة الطاقة قبل التعبئة أو الصب.

 يحذر وضع الغلاية بالقرب من أو على سطح موقد ساخن أو شعلة الموقد الغازى

هذه الغلاية لاستخدامات غلي الماء فقط.

• قد يؤدي سوء استخدام الجهّاز إلى حدوث إصابات

يمكن للأطفال الذين تتراوح أعمارهم من ٨ سنوات وما فوق استخدام وتنظيف وصيانة الجهاز وفقاً لتعليمات الاستخدام، شريطة أن يتم الإشراف عليهم من قبل شخص مسئول عن سلامتهم ومنحهم تعليمات بشأن استخدام الجهاز وإدراكهم للمخاطر المنطوية على استخدامه.

الأشخاص ذوي القدرات الجسدية أو الحسية
 أو العقلية المنخفضة وممن ليست لديهم معرفة
 باستخدام الجهاز يجب الإشراف عليهم أو منحهم
 التعليمات الخاصة باستخدام الجهاز بطريقة آمنة
 مع إدراك المخاطر التي تنطوي على استخدام
 الحهاز.

 ينبغي على الأطفال عدم العبث بالجهاز، كما يجب الاحتفاظ بالجهاز والسلك الكهربي بعيداً عن متناول الأطفال ممن هم دون ٨ سنوات من العمرس.

 استخدمي الجهاز فقط في الاستخدامات المنزلية المخصص لها. لن تتحمل شركة Kenwood أية مسئولية في حالة استخدام الجهاز بطريقة غير صحيحة أو عدم الامتثال للتعليمات المذكورة.

قبل توصيل الكهرباء

- تأكد أن التيار الكهربي هو نفسه الموجود
 في الجزء السفلي من الجهاز.
 - تحذير: يجب توصيل هذا الجهاز بالأرضي.
 - يتوافق هذا الجهاز مع تنظيمات الاتحاد الأوروبي ١٩٣٥/٢٠٠٤ المتعلقة بالمواد والأجسام المتلامسة مع الأطعمة.

قبل الاستخدام للمرة الأولى

قبل الاستخدام للمرة الاولى الفي أي طول زائد في السلك الكهربي حول القوس ® الموجود في الجانب السفلي لقاعدة الطاقة.

لملئي الغلاية حتى مستوى العلامة "MAX" (الحد الأقصى) ثم اغلي الماء وصبيه بعيداً. كررى العملية ٢ إلى ٣ مرات.

قبل القراءة، الرجاء قلب الصفحة الأولى لعرض الصور

السلامة

- اقرئي التعليمات التالية واحتفظي بها في المتناول للاستخدامات المستقبلية المرجعية.
 - أزيلي مكونات التغليف وأية ملصقات.
- في حالة تلف السلك الكهربي، يجب استبداله لأسباب متعلقة بالسلامة من قبل KENWOOD أو مركز صيانة معتمد من قبل KENWOOD.
 - يحذر استخدام الجهاز في حالة تلفه. يجب فحص الجهاز أو إصلاحه: راجعي قسم زالصيانة ورعاية العملاءس.
- استخدمي المرشح دائماً ويحذر تجاوز السعة القصوى للتعبئة – فقد يتناثر الماء المغلي إلى الخارج.
 - تجنبي التعرض للبخار الخارج من منطقة الصب أثناء
 صب الماء المغلي أو البخار الخارج من الغطاء العلوي
 أو منطقة الصب أثناء إعادة تعبئة الغلاية.
 - توّخي الحذر: يسخن الجسم المعدني للغلاية أثناء التشغيل.
 - يحذر ترك السلك الكهربي متدلياً في حالة وجود طفل فقد بنتزعه.
 - افصلي دائماً الغلاية عن مصدر التيار الكهربي في حالة عدم استخدامها.
 - يحذر وضع الغلاية أو قاعدة الطاقة أو السلك الكهربي
 أو القابس الكهربي في أي سائل.
 - تنبیه: لا تشغلی الغلایة علی سطح مائل.
 - استخدمي فقط قاعدة الطاقة المزودة مع الجهاز ويجب الحفاظ على نظافتها وجفافها.
 - تأكدي من إحكام غلق الغطاء العلوي قبل تشغيل الغلاية.
 - تحذير: لا تفتحى الغطاء العلوي أثناء غليان الماء.
 - توخي الحذر عند فتح الغطاء العلوي فقد تنساب بعض القطرات من الماء المغلى.
 - تأكدي من إيقاف تشغيل الغلاية قبل إزالتها عن قاعدة الطاقة أو الصب.